



**FOLO**<sup>TM</sup>  
SPRAY

06-30-30

**With Micronutrients  
Water-Soluble Foliar Fertilizer**



**SPECIALTY NUTRIENTS**

**GUARANTEED ANALYSIS:**

TOTAL NITROGEN (N) .....	6.00%
2.0% Ammoniacal Nitrogen	
4.0% Nitrate Nitrogen	
AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> ) .....	30.00%
SOLUBLE POTASH (K <sub>2</sub> O) .....	30.00%
Boron (B) .....	0.02%
Copper (Cu) .....	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe) .....	0.10%
0.10% Chelated Iron (Fe)	
Manganese (Mn) .....	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo) .....	0.0005%
Zinc (Zn) .....	0.05%
0.05% Chelated Zinc (Zn)	

**DERIVED FROM:** Monoammonium Phosphate, Monopotassium Phosphate, Potassium Nitrate, Sodium Borate, Copper EDTA, Iron EDTA, Manganese EDTA, Sodium Molybdate, and Zinc EDTA.

**F3013**



**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**CAUSES EYE IRRITATION.  
MAY INTENSIFY FIRE; OXIDIZER**

**PRECAUTIONARY STATEMENTS:** Wash hands thoroughly after handling. Keep away from heat. Keep/Store away from clothing, combustible materials. Take any precaution to avoid mixing with combustible materials.

**PERSONAL PROTECTIVE EQUIPMENT:** Wear protective gloves / eye protection / face protection.

**FIRST AID**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention.

**IN CASE OF FIRE:** Use chemical type foam, carbon dioxide, dry chemical, water fog or spray to extinguish.

**DISPOSAL:** Dispose of contents / container in accordance with Federal, state, and local regulations.

**GENERAL USE DIRECTIONS**

**DILUTION RATE:** Unless otherwise specified, use the rate per acre and dilute as follows:

**AIR:** 5-30 gallons of water per acre.

**DILUTE:** 100 plus gallons of water per acre.

**CONCENTRATE:** 10-100 gallons of water per acre.

Do not exceed 2 lbs. of product per gallon of water. For backpack sprayers use 4 teaspoons per gallon of water.

When temperatures are cold allow extra time for this product to completely dissolve. Do not use when temperatures are expected to exceed 90°F or when plants are under stress conditions such as heat or water stress.

THIS PRODUCT WILL LOWER THE pH OF THE SPRAY SOLUTION.

**DO NOT EXCEED RECOMMENDED AMOUNTS PER ACRE.**

**MIXING DIRECTIONS:** Add approximately 1/2 water to tank before adding *FOLO SPRAY 6-30-30*, agitate thoroughly while adding remaining water, add pesticide last. Water temperature plays an important role in determining fertilizer solubility. The higher the water temperature the greater the solubility and quicker the dissolving time. As fertilizers are added to the solution, there is an immediate decrease in water temperature. It is important when preparing concentrated solutions to allow for this temperature drop to ensure that all the fertilizer is properly dissolved.

**COMPATIBILITY:** *FOLO SPRAY 6-30-30* is compatible with most commonly used pesticides. However, a compatibility test is recommended before full scale mixing, if the desired combination has not been used in the past. Do not combine with copper fungicide or other strongly alkaline materials.

**RECOMMENDATIONS FOR USE**

**TREE FRUIT, NUT and VINE CROPS such as:** Apples, Almonds, Apricots, Avocados, Citrus (all kinds), Cherries, Filberts, Peaches, Pears, Plums, Prunes, Pecans, Pistachios, Nectarines, Walnuts, Tropical and Sub-Tropical Fruits, Bushberries, Grapes and other vine crops. Apply early in the growing season and continue throughout the season to supplement normal fertility programs.

Apply as a pre-bloom and post-bloom spray. Rate per acre will depend on the amount of carrier applied per acre. In dilute spray applications, use 2 to 5 lbs. per 100 gallons of water. In concentrated spray applications, use 5 to 15 lbs. per acre. Avoid combining with materials that may cause russetting on fruit. A post harvest application of 10 to 40 lbs. per acre can enhance tree vigor and increase nutrient levels within fruiting spurs for the following season.

**CAUTION:** Do not use *FOLO SPRAY 6-30-30* in late season sprays where fruit color and maturity is delayed by nitrogen applications.

**FIELD, VEGETABLE and HERB CROPS:** As a foliar spray use 5 to 10 lbs. per acre. Applications may be made at 7 to 10 day intervals depending on the amount of growth desired or when supplemental fertilization is required. Depending on the crop, the first treatment should be made when the plants are 3 to 4 weeks old or when there is sufficient foliage for spraying. These rates may be applied to field crops such as: Cotton, Soybeans, Peanuts, Corn, Alfalfa, Sorghum, and forage crops or to vegetable crops such as: Tomatoes, Peppers, Cucumbers, Beans, Lettuce, Celery, Melons, Squash, Radishes, Onions, Broccoli, Cabbage, Spinach, Cauliflower, Strawberries, and Potatoes.

**COMMERCIAL NURSERY and GREENHOUSE:** As a direct foliar spray use 2 to 4 lbs. per 100 gallons of water or 4 teaspoons per gallon of water.

**Greenhouse Cut Flowers, Flats, Small Pots:** Use 2 lbs. per 100 gallons of water for intermittent feeding (every 2 weeks). For constant feeding (every watering) use 4 to 8 oz. per 100 gallons of water.

**Container Foliage Plants:** Use up to 3 1/2 lbs. per 100 gallons of water for intermittent feeding. For constant feeding use 8 to 12 oz. per 100 gallons of water.

**Orchids:** For periodic feeding use 5 to 6 lbs. in 100 gallons of water. For constant feeding use 1 to 1 1/2 lbs. per 100 gallons of water. Starter and Transplant: Use at the rate of 1 lb. per 25 gallons of water as plants are being set out in the field. Apply sufficient solution for proper soil moisture.

**LANDSCAPE TREES AND SHRUBS, TURF:** For foliar spray or root feed-ing use 2 lbs. per 100 gallons of water. For seeding new turf, 1/2 lb. may be mixed with each pound of grass seed. Apply by spreader or broadcast evenly over 200 sq. ft.

**LAWNS, AND GOLF GREENS:** While soil is wet apply 1 lb. per 2,000 sq. ft. dissolved in 10 or more gallons of water. Color and rate of growth will determine frequency of application.

**STORAGE & DISPOSAL**

Store product in a dry place. **DO NOT** contaminate water, food or feed by storage or disposal.

**WARNING:** This product contains boron and should be used only as recommended. The use of this product on any crops other than those recommended may result in serious injury to the crop(s).

**WARNING:** This product is to be used only on crops which respond to molybdenum. Crops high in molybdenum are toxic to grazing animals.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

**WARRANTY, DISCLAIMER AND LIMITATION OF DAMAGES**

INNICTIS BioScience Plant Health Technologies warrants only that this product conforms to the product description on the label and is reasonably fit for the purposes stated in the Directions For Use. The Directions For Use of this product are believed to be adequate and must be followed carefully. It is, however, impossible to eliminate all risks associated with this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner or use or application, all of which are beyond the control of INNICTIS BioScience Plant Health Technologies. All such risks must be assumed by the buyer or user. Except as warranted on this label, INNICTIS BioScience Plant Health Technologies makes no representation, warranty or guarantee, whether expressed or implied including, but not limited to, warranty of merchantability, fitness for a particular purpose, or otherwise. No agent or representative of INNICTIS BioScience Plant Health Technologies or the seller of the product is authorized to amend the terms of this Warranty disclaimer or the product's label or to make a representation or recommendation different or inconsistent with the label of this product. To the extent consistent with applicable law, INNICTIS BioScience Plant Health Technologies' maximum liability for breach of its warranty or for use of this product, regardless of the form of action, shall not exceed the purchase price of this product. To the extent permitted by applicable law, INNICTIS BioScience Plant Health Technologies shall not be liable for consequential, special or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages. If the warranty and liability limitations or disclaimer are not acceptable, return the unopened container to the place of purchase for full refund. To the extent not inconsistent with applicable law or the label, the purchase, delivery, acceptance and use of this product by the buyer is subject to the terms and conditions of seller's sales invoice for this product.

**NET WEIGHT: 25 POUNDS (11.34 kg)**



8 12831 02884 5

**INNICTIS  
BIOSCIENCE**<sup>TM</sup>  
PLANT HEALTH TECHNOLOGIES  
P.O. Box 9296, Boise, ID 83707  
855-466-8428

RD002821